# SAFETY DATA SHEET



### 1. Identification

**Product identifier HB™ MORTAR POWDER** 

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive

Jackson, MS 39232

**USA** 

After hours telephone

1-800-222-7122

number

Website

**Normal work hours** 

1-877-982-7667

telephone number

www.ergonarmor.com

E-mail

sds@ergon.com

**Emergency 24-hour** telephone number Information on

operation hours

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

8:00 a.m. to 5:00 p.m.

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Carcinogenicity Category 1

Specific target organ toxicity, single

Category 3 respiratory tract irritation

Category 1 (lungs)

exposure

Specific target organ toxicity, repeated

exposure Not classified.

**Environmental hazards OSHA** defined hazards Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** May cause respiratory irritation. Causes damage to organs through prolonged or repeated

exposure. May cause cancer.

**Precautionary statement** 

**Prevention** Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat,

drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell. IF exposed or concerned: Get medical

advice/attention.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international

regulations.

Material name: HB™ MORTAR POWDER 5225 Version #: 02 Revision date: 05-02-2025 Issue date: 12-01-2022 Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
QUARTZ		14808-60-7	30 - 50
WATER		7732-18-5	< 2
Other components below reportable levels			58.8600040727

## 4. First-aid measures

**Inhalation** Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.

If breathing is difficult, give oxygen. Get medical attention.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Eye contact In case of contact, immediately flush eyes with large amounts of water, continuing to flush for

15 minutes. Get medical attention.

Do not induce vomiting without advice from poison control center. Never give anything by **Ingestion** 

mouth to a victim who is unconscious or is having convulsions. Get medical attention.

Most important

symptoms/effects, acute

and delayed

**Indication of immediate** medical attention and special treatment needed

Prolonged exposure may cause chronic effects. Direct contact with skin may cause temporary irritation. Direct contact with eyes may cause temporary irritation. May cause respiratory irritation. Irritation of nose and throat. Difficulty in breathing.

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information** 

IF exposed or concerned: Get medical advice/attention. Keep victim warm. Keep victim under observation. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.

**Special protective equipment** and precautions for

firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

**Specific methods** Cool containers exposed to flames with water until well after the fire is out.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling Do not breathe dust. Do not get in eyes, on skin, on clothing. Use only with adequate

ventilation. Minimize dust generation and accumulation.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep out of reach of children. Store in a cool, dry place. Use care in handling/storage.

SDS US 5225 Version #: 02 Revision date: 05-02-2025 Issue date: 12-01-2022

# 8. Exposure controls/personal protection

**Occupational exposure limits** 

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components **Type** Value Form

PEL QUARTZ (CAS 14808-60-7)  $0.05 \, \text{mg/m}$ Respirable dust.

US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000)

**Form** Components Value **Type** 

**OUARTZ (CAS 14808-60-7)** TWA 0.1 mg/m3 Respirable.

> 2.4 mppcf Respirable.

**US. ACGIH Threshold Limit Values (TLV)** 

Components Value **Form Type** 

0.025 mg/m3 QUARTZ (CAS 14808-60-7) **TWA** Respirable fraction.

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Components

**Type Value** 

QUARTZ (CAS 14808-60-7) **IDLH** 50 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

**Form** Components **Type** Value

0.05 mg/m3 **OUARTZ (CAS 14808-60-7)** TWA Respirable dust.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled.

controls occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment Eye/face protection Goggles/face shield are recommended.

Skin protection

**Appropriate engineering** 

**Hand protection** Wear protective gloves.

Other Wear appropriate clothing to prevent any possibility of skin contact with solutions containing

10% or more of this chemical.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not available.

**General hygiene** Always observe good personal hygiene measures, such as washing after handling the material considerations

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

equipment to remove contaminants.

9. Physical and chemical properties

**Appearance** Powder. Solid. Physical state **Form** Powder.

Color Light tan to gray.

Odor Odorless. **Odor threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Material name: HB™ MORTAR POWDER 5225 Version #: 02 Revision date: 05-02-2025 Issue date: 12-01-2022 Upper/lower flammability or explosive limits

**Explosive limit - lower** 

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not available. Vapor density Not available. Relative density Not available.

Solubility(ies)

Insoluble Solubility (water) **Partition coefficient** Not available.

(n-octanol/water) **Auto-ignition temperature** 

Not available. **Decomposition temperature** Not available. Not available.

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Viscosity

No dangerous reaction known under conditions of normal use.

Conditions to avoid None under normal conditions.

**Incompatible materials** Strong oxidizing agents. Strong bases.

**Hazardous decomposition** 

products

Oxides of silicon.

# 11. Toxicological information

Information on likely routes of exposure

Inhalation of dusts may cause respiratory irritation. Inhalation

Skin contact Dust or powder may irritate the skin. Eye contact Dust in the eyes will cause irritation. **Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Irritating to mouth, throat, and stomach. Exposure may cause temporary irritation, redness, or discomfort. Direct contact with skin or eyes may cause temporary irritation. Dusts may irritate

the respiratory tract, skin and eyes.

## Information on toxicological effects

**Acute toxicity** 

**Test Results Product Species** 

HB™ MORTAR POWDER

**Acute Dermal** 

**ATEmix** 307100000 mg/kg bw

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

May cause temporary eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

Skin sensitization May irritate eyes and skin.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

Material name: HB™ MORTAR POWDER SDS US 4/6 5225 Version #: 02 Revision date: 05-02-2025 Issue date: 12-01-2022

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7)

US. National Toxicology Program (NTP) Report on Carcinogens

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity** Not classified.

Specific target organ toxicity May cause respiratory irritation.

- single exposure

Specific target organ toxicity

Causes damage to organs through prolonged or repeated exposure by inhalation. Lungs.

 repeated exposure Silicosis.

**Aspiration hazard** Not available.

12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

Persistence and degradability Not available. **Bioaccumulative potential** Not available. Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in

accordance with all applicable regulations.

Waste from residues / unused products

Empty containers or liners may retain some product residues. This material and its container

must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container

is emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

**Toxic Substances Control Act** (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

**OUARTZ (CAS 14808-60-7)** Cancer

luna effects

immune system effects

kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Material name: HB™ MORTAR POWDER SDS US **SARA 311/312** Yes

**Hazardous chemical** 

Classified hazard Carcinogenicity

categories Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

**California Proposition 65** 

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Listed: October 1, 1988 QUARTZ (CAS 14808-60-7)

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

**Issue date** 12-01-2022 05-02-2025 **Revision date** 

Version # 02

**Further information** HMIS® is a registered trade and service mark of the NPCA.

References **ACGIH** 

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

5225 Version #: 02 Revision date: 05-02-2025 Issue date: 12-01-2022

Yes