SAFETY DATA SHEET



1. Identification

Product identifier **TUFCHEM™ EPOXY HARDENER**

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Armor Limited, Inc. **Company Name**

2410 US-15 South, Sumter, SC 29150 Address

After hours telephone

1-877-982-7667

number

1-877-982-7667

Normal work hours telephone number

www.armor-inc.com

Website customerservice@armor-inc.com E-mail

Emergency 24-hour

CHEMTREC North America: 800-424-9300, International: +1-703-527-3887

telephone number

Information on operation 8:00 a.m. to 5:00 p.m.

hours

2. Hazard(s) identification

Hazards for the product as sold

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 3

> Acute toxicity, dermal Category 3 Acute toxicity, inhalation Category 2 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Sensitization, respiratory Category 1 Sensitization, skin Category 1 Germ cell mutagenicity Category 2

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Fatal if inhaled. Toxic if swallowed. May cause respiratory irritation. May cause allergy or asthma

> symptoms or breathing difficulties if inhaled. Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wash thoroughly after handling. In case of inadequate ventilation wear respiratory protection. Use only outdoors or in a well-ventilated area.

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Immediately call a POISON CENTER or doctor/physician. Take off immediately all contaminated clothing and wash it before reuse. If exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment see Section 4 of this SDS.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS No./Unique ID	%
Diaminopolypropylene glycol		9046-10-0	50 - 70
2,2'-Iminodiethylamine		111-40-0	20 - 40
DIETHYLENETRIAMINE, OXIRA POLYMER	NE	28063-82-3	1 - 10
PHENOL		108-95-2	1 - 10
2-Piperazin-1-ylethylamine		140-31-8	< 1

4. First-aid measures

Inhalation

Move to fresh air. For breathing difficulties, oxygen may be necessary. Get medical attention

immediately.

Skin contact

Wash off with soap and water. Take off immediately all contaminated clothing. Wash clothing

separately before reuse. Get medical attention immediately.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion

Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if

symptoms occur.

Most important

symptoms/effects, acute and

delayed

Dizziness. Headache. Nausea, vomiting. Difficulty in breathing. Abdominal pain. Itching. May cause redness and pain. Causes serious eye damage. Unconsciousness. May cause an allergic skin reaction. May cause mild irritation including stinging, watering, and redness. Irritation of nose and throat. Upper respiratory tract irritation. May cause severe irritation or burns

to the eyes, skin, gastrointestinal tract, and respiratory system.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Keep victim under observation. Show this safety data sheet to the doctor in attendance. In case of shortness of breath, give oxygen.

5. Fire-fighting measures

Suitable extinguishing media Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get this material in contact with eyes. Do not taste or swallow. Avoid contact with skin. Avoid prolonged exposure. Avoid contact with clothing. Do not use in areas without adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

CAUTION Store locked up. Keep away from heat, sparks and open flame. Store in a closed container away from incompatible materials. Store in a well-ventilated place. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children. Store in accordance with local/regional/national/international regulation.

Value

Value

8. Exposure controls/personal protection

Occupational exposure limits

Components

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

PHENOL (CAS 108-95-2)	PEL	19 mg/m3 5 ppm
US. ACGIH Threshold Limit Values (TLV) Components	Туре	Value
2,2'-Iminodiethylamine (CAS 111-40-0)	TWA	1 ppm
PHENOL (CAS 108-95-2)	TWA	5 ppm

Type

NIOSH. Immediately [Dangerous to Life or Health (IDLH) Values, as amended
Components	Туре

PHENOL (CAS 108-95-2) IDLH 1.8 % 250 ppm

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

ComponentsTypeValue2,2'-IminodiethylamineTWA4 mg/m3(CAS 111-40-0)1 ppm

PHENOL (CAS 108-95-2) Ceiling 60 mg/m3

15.6 ppm

TWA 19 mg/m3

5 ppm

Biological limit values

ACGIH Biological Exposure Indices (BEI)

Components	Value	Determinant	Specimen	Sampling Time
PHENOL (CAS 108-95-2)	250 mg/g	Phenol with hydrolysis	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

2,2'-Iminodiethylamine (CAS 111-40-0)

Can be absorbed through the skin.

PHENOL (CAS 108-95-2)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

2,2'-Iminodiethylamine (CAS 111-40-0) Skin designation applies. PHENOL (CAS 108-95-2) Skin designation applies.

US - Tennessee OELs: Skin designation

PHENOL (CAS 108-95-2)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

2,2'-Iminodiethylamine (CAS 111-40-0)

PHENOL (CAS 108-95-2)

Danger of cutaneous absorption

Danger of cutaneous absorption

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

2,2'-Iminodiethylamine (CAS 111-40-0)

Can be absorbed through the skin.

PHENOL (CAS 108-95-2)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PHENOL (CAS 108-95-2)

Can be absorbed through the skin.

Appropriate engineering controls

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses. If risk of splashing, wear safety goggles or face shield.

Skin protection

Hand protection Chemical resistant gloves. Chemical resistant gloves are recommended. If contact with

forearms is likely wear gauntlet style gloves.

Other Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

equipment to remove contaminants.

9. Physical and chemical properties

Physical stateLiquid.FormLiquid.ColorAmber.OdorAmine.

Melting point/freezing point Not available.

Material name: TUFCHEM™ EPOXY HARDENER

SDS US

Boiling point or initial boiling

point and boiling range

Not available.

Flammability Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Flash point >200.0 °F (>93.3 °C) estimated

Auto-ignition temperature Not available. **Decomposition temperature** Not available. pН Not available. Kinematic viscosity Not available.

Solubility

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Vapor pressure Not available.

Density and/or relative density

8.00 lb/gal Density Vapor density Not available. Particle characteristics Not available.

Other information

Specific gravity 0.96 @ 22°C/72°F

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Strong acids. Peroxides. Phenols. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin contact Harmful in contact with skin.

Eye contact Causes eye burns.

Ingestion Toxic if swallowed. However, ingestion is not likely to be a primary route of occupational

exposure.

Symptoms related to the physical, chemical and toxicological characteristics Unconsciousness. Nausea, vomiting. Dizziness. May cause redness and pain. Shortness of breath. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause severe irritation or burns to the eyes, skin, gastrointestinal tract, and respiratory system.

Irritation of nose and throat. Upper respiratory tract irritation.

Information on toxicological effects

Acute toxicity Toxic in contact with skin. Toxic if swallowed.

Material name: TUFCHEM™ EPOXY HARDENER

Components Species Test Results

2,2'-Iminodiethylamine (CAS 111-40-0)

Acute Dermal

LD50 Rabbit 1045 mg/kg

Inhalation

Mist

LC50 Rat 0.07001 mg/l, 4 Hours

Oral

LD50 Rat 1553 mg/kg

2-Piperazin-1-ylethylamine (CAS 140-31-8)

<u>Acute</u> Dermal

LD50 Rabbit 866 mg/kg

Oral

LD50 Rat 1470 mg/kg

Diaminopolypropylene glycol (CAS 9046-10-0)

<u>Acute</u>

Dermal

LD50 Rabbit 2980 mg/kg, 24 Hours

Inhalation

Vapor

LC50 Rat > 0.74 mg/l, 8 Hours

Oral

LD50 Rat 2885 mg/kg

Subchronic

Dermal

NOAEL Rat 250 mg/kg, 90 days

Skin corrosion/irritation Causes severe skin burns and eye damage.

Corrosivity

2,2'-Iminodiethylamine Result: Corrosive after 3 minutes or less of exposure

Species: Rabbit

2-Piperazin-1-ylethylamine Result: Corrosive after 3 minutes to 1 hour of exposure

Species: Rabbit

Serious eye damage/eye

Eve

irritation

Causes severe eye burns.

2,2'-Iminodiethylamine Result: Irreversible effects on the eye

Species: Rabbit

2-Piperazin-1-ylethylamine Result: Irreversible effects on the eye

Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. **Skin sensitization** May cause allergic skin disorders in sensitive individuals. Causes skin burns.

Skin sensitization

2,2'-Iminodiethylamine Local lymph node assay (LLNA)

Result: Positive Species: Mouse

Material name: TUFCHEM™ EPOXY HARDENER

Material name: TUFCHEM™ EPOXY HARDENER

505 05

505 05

6 / 12

^{*} Estimates for product may be based on additional component data not shown.

Skin sensitization

2-Piperazin-1-ylethylamine Maximization test

Result: Positive Species: Guinea pig

Organ: Skin

Germ cell mutagenicity Suspected of causing genetic defects.

Germ cell mutagenicity: Ames test

2-Piperazin-1-ylethylamine In vitro

Result: Negative

In vitro

Result: Positive

2,2'-Iminodiethylamine OECD Test Guideline 471

Result: Positive

Germ cell mutagenicity: Chromosome Aberration

2,2'-Iminodiethylamine In vitro

Result: Negative

Germ cell mutagenicity: Micronucleus

2-Piperazin-1-ylethylamine In vivo

Result: Negative Species: Mouse

Organ: Intraperitoneal injection

Mutagenicity

2,2'-Iminodiethylamine In vitro mammalian cell gene mutation test

Result: Negative

2-Piperazin-1-ylethylamine In vitro mammalian cell gene mutation test

Result: Negative

In vitro sister chromatid exchange assay in mammalian cell

s Result: Positive

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

2,2'-Iminodiethylamine Skin contact

Result: Negative Species: Mouse Test Duration: 587 days

IARC Monographs. Overall Evaluation of Carcinogenicity

PHENOL (CAS 108-95-2) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not available.

Reproductivity

2,2'-Iminodiethylamine Embryo-foetal development (Ingestion)

Result: Negative Species: Rat

2-Piperazin-1-ylethylamine OECD Test Guideline 422

Result: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test

(Ingestion): Negative

Species: Rat Organ: Ingestion

2,2'-Iminodiethylamine Reproduction/Developmental toxicity screening test

(Ingestion) Result: Negative Species: Rat

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity - May cause damage to organs through prolong

repeated exposure

Specific target organ toxicity repeated exposure

> 2-Piperazin-1-ylethylamine 0.0535 mg/l NOAEL (Inhalation), OECD Test Guideline 413

> > Species: Rat

Organ: Inhalation (vapour) Test Duration: 13 weeks

10 - 100 mg/kg NOAEL (Ingestion) 2,2'-Iminodiethylamine

Species: Rat

Test Duration: 90 days

2-Piperazin-1-ylethylamine 1000 mg/kg NOAEL (Skin contact), OECD Test Guideline 410

> Species: Rat Test Duration: 29 days

2000 mg/kg NOAEL (Ingestion), OECD Test Guideline 422

Species: Rat

Test Duration: 28 days

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

Further information May cause allergic respiratory and skin reactions.

12. Ecological information

Ecotoxicity
Duaduat

Product		Species	Test Results	
TUFCHEM™ EPOXY H	IARDENER			
Aquatic				
Crustacea	EC50	Daphnia	724.1353 mg/l, 48 hours	
Fish	LC50	Fish	456.8776 mg/l, 96 hours	
Components		Species	Test Results	
2,2'-Iminodiethylamine ((CAS 111-40-0)			
	EC50	Selenastrum capricornutum (new name Pseudokirchneriella subcapitata)	1164 mg/l, 72 Hours	
	NOEC	Selenastrum capricornutum (new name Pseudokirchneriella subcapitata)	10 mg/l, 72 Hours	
Aquatic				
<i>Acute</i>				
Crustacea	EC50	Daphnia magna	16 mg/l, 48 hours	
Fish	LC50	Poecilia reticulata	430 mg/l, 96 hours	
Chronic				
Crustacea	NOEC	Daphnia magna	5.6 mg/l, 21 days	
Fish	NOEC	Threespine stickleback (Gasterosteus aculeatus)	> 10 mg/l, 28 days	
2-Piperazin-1-ylethylam	2-Piperazin-1-ylethylamine (CAS 140-31-8)			
<i>Acute</i>				
Other	NOEC	Pseudokirchnerella subcapitata	31 mg/l, 72 Hours	
Aquatic				
Acute				
Crustacea	EC50	Daphnia magna	58 mg/l, 48 Hours	
Fish	LC50	Oncorhynchus mykiss	2190 mg/l, 96 Hours	
Diaminopolypropylene glycol (CAS 9046-10-0)				
	EC10	Selenastrum capricornutum (new name Pseudokirchneriella subcapitata)	1.4 mg/l, 72 Hours	
	EC50	Selenastrum capricornutum (new name Pseudokirchneriella subcapitata)	15 mg/l, 72 Hours	

Material name: TUFCHEM™ EPOXY HARDENER

SDS US 8 / 12

5916 Version #: 02 Revision date: 11-03-2025 Issue date: 04-13-2023

Components Species Test Results

Aquatic

Acute

Crustacea EC50 Daphnia magna 80 mg/l, 48 hours
Fish LC50 Cyprinodon variegatus > 100 mg/l, 96 Hours

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

2,2'-Iminodiethylamine-5.582-Piperazin-1-ylethylamine-1.48Diaminopolypropylene glycol1.34PHENOL1.46

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container

is emptied.

14. Transport information

DOT

UN number UN2735

UN proper shipping name Amines, liquid, corrosive, n.o.s, or Polyamines, liquid, corrosive, n.o.s. (Polyoxypropylene

diamine)

Transport hazard class(es)

Class 8
Subsidiary hazard Label(s) 8
Packing group III
Environmental hazards

Marine pollutant No.

Special precautions for user Not assigned.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN2735

UN proper shipping name Amines, I

Transport hazard class(es)

Amines, liquid, corrosive, n.o.s. (Polyoxypropylene diamine)

Class 8
Subsidiary hazard Packing group III
Environmental hazards No.
ERG Code 8L

Special precautions for user Not assigned.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN2735

UN proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(Polyoxypropylene diamine)

Transport hazard class(es)

Class 8
Subsidiary hazard Packing group III
Environmental hazards

Environmentai nazarus

Marine pollutantNo.EmSF-A, S-BSpecial precautions for userNot assigned.Transport in bulk according toNot available.

IMO instruments

DOT



IATA; IMDG



15. Regulatory information

US federal regulations

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

PHENOL (CAS 108-95-2)

SARA 304 Emergency release notification

PHENOL (CAS 108-95-2) 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable Threshold planning Threshold planning Threshold planning quantity quantity (pounds) quantity, lower quantity, upper value (pounds) (pounds) value (pounds) **PHENOL** 108-95-2 1000 500 10000

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

Acute toxicity (any route of exposure)

categories

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name **CAS** number % by wt. **PHENOL** 108-95-2 1 - 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

PHENOL (CAS 108-95-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

PHENOL (CAS 108-95-2) Low priority

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

PHENOL (CAS 108-95-2)

California Proposition 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 04-13-2023

11 / 12 5916 Version #: 02 Revision date: 11-03-2025 Issue date: 04-13-2023

Revision date 11-03-2025

Version # 02

NFPA ratings Health: 2

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Material name: TUFCHEM™ EPOXY HARDENER

5916 Version #: 02 Revision date: 11-03-2025 Issue date: 04-13-2023